



SCIENTIFIC PAPERS

1. Abdulmawjood A, Schonenbrucher H and Bulte M. Collaborative trial for validation of a real-time reverse transcriptase-polymerase chain reaction assay for detection of central nervous system tissues as bovine spongiform encephalopathy risk material: Part 1. *Journal of AOAC International*. 2006; **89**(5): 1335-40.
2. Acutis PL, Martucci F, Mazza M et al. A case of scrapie in a sheep carrying the lysine-171 allele of the prion protein gene. *Arch Virol* 2006; **151**(9): 1875-80.
3. Aguzzi A and Glatzel M. Prion infections, blood and transfusions. *Nat Clin Pract Neurol*. 2006; **2**(6):321-9.
4. Austbo L, Espenes A , Olsaker I et al. Lymphoid follicles of the ileal Peyer's patch of lambs express low levels of PrP, as demonstrated by quantitative real-time RT-PCR on microdissected tissue compartments, in situ hybridization and immunohistochemistry. *J Gen Virol* 2006; **87**(11): 3463-71.
5. Baskakov IV, Breydo L. Converting the prion protein: What makes the protein infectious. *Biochim Biophys Acta*. 2006; [ahead of print].
6. Bishop MT, Hart P, Aitchison L et al. Predicting susceptibility and incubation time of human-to-human transmission of vCJD. *Lancet Neurol*. 2006; **5**(5):393-8.
7. Bozzetta E, Nappi R, Ru G et al. Evaluation of an enzyme immunoassay for the detection of central nervous system tissue

- contamination at the slaughterhouse. *J Food Prot.* 2006; **69**(9): 2289-92.
8. Cordier C, Bencsik A, Philippe S *et al.* Transmission and characterization of bovine spongiform encephalopathy sources in two ovine transgenic mouse lines (TgOvPrP4 and TgOvPrP59). *J Gen Virol.* 2006; **87**(12): 3763-71.
 9. Ebringer A, Rashid T, Jawad N *et al.* From rabies to transmissible spongiform encephalopathies: An immune-mediated microbial trigger involving molecular mimicry could be the answer. *Med Hypotheses.* 2007; **68**(1):113-24.
 10. Eiden M, Palm GJ, Hinrichs W *et al.* Synergistic and strain-specific effects of bovine spongiform encephalopathy and scrapie prions in the cell-free conversion of recombinant prion protein. *J Gen Virol.* 2006; **87** (12); 3753-61.
 11. Formentin EA, Puricelli M, Pollera C *et al.* Evaluation of Clioquinol Activity Towards Transmissible Spongiform Encephalopathies (TSE) in Cellular Models and Cell-free Systems. *Vet Res Commun.* 2006; **30** Suppl 1:253-5.
 12. Foster J, McKenzie C, Parnham D *et al.* Lateral transmission of natural scrapie to scrapie-free New Zealand sheep placed in an endemically infected UK flock. *Vet Rec.* 2006; **159**(19) 633-4.
 13. Fox KA, Jewell JE, Williams ES *et al.* Patterns of PrPCWD accumulation during the course of chronic wasting disease infection in orally inoculated mule deer (*Odocoileus hemionus*). *J Gen Virol.* 2006; **87** (11): 3451-61.
 14. Georgsson G, Sigurdarson S and Brown P. Infectious agent of sheep scrapie may persist in the environment for at least 16 years. *J Gen Virol.* 2006; **87** (12): 3737-40
 15. Goldmann W, Houston F, Stewart P *et al.* Ovine prion protein variant A136R154L168Q171 increases resistance to experimental challenge with bovine spongiform encephalopathy agent. *J Gen Virol.* 2006; **87**(12): 3741-5.

16. Greenlee JJ, Hamir AN, and West Greenlee MH. Abnormal prion accumulation associated with retinal pathology in experimentally inoculated scrapie-affected sheep. *Vet Pathol.* 2006; **43** (5): 733-9.
17. Gregori L, Gurgel PV, Lathrop JT *et al.* Reduction in infectivity of endogenous transmissible spongiform encephalopathies present in blood by adsorption to selective affinity resins. *Lancet.* 2007; **368**(9554):2226-30.
18. Gretzschel A, Buschmann A, Langeveld J *et al.* Immunological characterization of abnormal prion protein from atypical scrapie cases in sheep using a panel of monoclonal antibodies. *J Gen Virol.* 2006; **87**(12) 3715-22.
19. Hamir AN, Kunkle RA, Cutlip RC *et al.* Transmission of chronic wasting disease of mule deer to Suffolk sheep following intracerebral inoculation. *J Vet Diagn Invest.* 2006; **18** (6) 558-5.
20. Hopp P, Omer MK and Heier BT. A case-control study of scrapie Nor98 in Norwegian sheep flocks. *J Gen Virol.* 2006; **87**(12): 3729-3736.
21. Jewell JE, Brown J, Kreeger T *et al.* Prion protein in cardiac muscle of elk (*Cervus elaphus nelsoni*) and white-tailed deer (*Odocoileus virginianus*) infected with chronic wasting disease. *J Gen Virol.* 2006; **87**(11) 3443-50.
22. Juling K, Schwarzenbacher H, Williams JL *et al.* A major genetic component of BSE susceptibility. *BMC Biol.* 2006; **4**: 33.
23. Kawai-Noma S, Ayano S, Pack CG *et al.* Dynamics of yeast prion aggregates in single living cells. *Genes Cells.* 2006 Sep; **11**(9):1085-96.
24. Konold T, Lee YH, Stack MJ *et al.* Different prion disease phenotypes result from inoculation of cattle with two temporally separated sources of sheep scrapie from Great Britain. *BMC Vet Res.* 2006 Oct **17**; 2(1):31.

25. LaFauci G, Carp RI, Meeker HC *et al.* Passage of chronic wasting disease prion into transgenic mice expressing Rocky Mountain elk (*Cervus elaphus nelsoni*) PrPc. *J Gen Virol* 2006; **87**(12) 3773-80.
26. Leclerc E, Serban H, Prusiner SB *et al.* Copper induces conformational changes in the N-terminal part of cell-surface PrPc. *Arch Virol* 2006; **151**(11): 2103-9.
27. Lourenco PC, Schmerr MJ, MacGregor I *et al.* Application of an immunocapillary electrophoresis assay to the detection of abnormal prion protein in brain, spleen and blood specimens from patients with variant Creutzfeldt-Jakob disease. *J Gen Virol*. 2006; **87**(10) 3119-4.
28. Manson JC, Cancellotti E, Hart P *et al.* The transmissible spongiform encephalopathies: emerging and declining epidemics. *Biochem Soc Trans*. 2006; **34**:1155-8.
29. Manuelidis L. A virus behind the mask of prions? *Folia Neuropathol*. 2004; **42** Suppl B: 10-23.
30. Mathiason CK, Powers JG, Dahmes SJ *et al.* Infectious prions in the saliva and blood of deer with chronic wasting disease. *Science*. 2006; **314**(5796):133-6.
31. Norstrom EM and Mastrianni JA. The charge structure of helix 1 in the prion protein regulates conversion to pathogenic PrPsc. *J Virol*. 2006; **80**(17): 8521-9.
32. Paspaltsis I, Kotta K, Lagoudaki R *et al.* Titanium dioxide photocatalytic inactivation of prions. *J Gen Virol*. 2006; **87**(10): 3125-30.
33. Pasquali P, Nonno R, Mandara MT *et al.* Intracerebral administration of Interleukin-12 (IL-12) and IL-18 modifies the course of mouse scrapie. *BMC Vet Res*. 2006 Dec 27; **2**(1):37.
34. Picard-Hoagen N, Gayrard V, Viguerie C *et al.* Prion protein in the cerebrospinal fluid of healthy and naturally scrapie-affected sheep. *J Gen Virol*. 2006; **87**(12): 3723-7.

35. Pomfrett CJ, Glover DG and Pollard BJ. The vagus nerve as a conduit for neuroinvasion, a diagnostic tool, and a therapeutic pathway for transmissible spongiform encephalopathies, including variant Creutzfeld Jacob disease. *Med Hypotheses*. 2006 Dec 11; [ahead of print].
36. Puricelli M, Servida F, Carcassola G et al. Detection of PrPres in the spleen of hamsters used as an in vivo model for experimental TSE. *Vet Res Commun.* 2006; **30** (Supp. 1) 261-3.
37. Ronzon F, Bencsik A, Lezmi S et al. BSE inoculation to prion diseases-resistant sheep reveals tricky silent carriers. *Biochem Biophys Res Commun.* 2006 Dec 1; **350**(4):872-7.
38. Sanchez-Juan P, Green A, Ladogana A et al. CSF tests in the differential diagnosis of Creutzfeldt-Jakob disease. *Neurology*. 2006 Aug 22; **67**(4):637-43.
39. Saunders GC, Cawthraw S, Mountjoy SJ et al. PrP genotypes of atypical scrapie cases in Great Britain. *J Gen Virol* 2006; **87** (11): 3141-9.
40. Sigurdson C, Polymenidou M and Aguzzi A. Reconstructing prions: fibril assembly from simple yeast to complex mammals. *Neurodegener Dis.* 2005; **2**(1):1-5.
41. Sofianidis G, Psychas V, Billinis C et al. Histopathological and immunohistochemical features of natural goat scrapie. *J Comp Path* 2006; **135**(2-3) 116-29.
42. Solassol J, Pastore M, Crozet C et al. A novel copper-hydrogen peroxide formulation for prion decontamination. *J Infect Dis* 2006; **194**(6): 865-9.
43. Sutton JM, Dickinson J, Walker JT et al. Methods to minimize the risks of Creutzfeldt-Jakob disease transmission by surgical procedures: where to set the standard? *Clin Infect Dis* 2006; **43**(6): 757-64.
44. Warner RG, Morris D and Dawson M. PrP genotype progression in flocks participating in the National Scrapie Plan for Great Britain. *Vet Rec.* 2006; **159**(15): 473-9.

45. Weber P, Giese A, Piening N *et al.* Cell-free formation of misfolded prion protein with authentic prion infectivity. *Proc Natl Acad Sci USA*. 2006; **103**(43): 15818-23.
46. Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR) – Opinion on the Safety of Human-derived Products with regard to Variant Creutzfeldt-Jakob Disease.
47. Draft Opinion of the Scientific Panel on Biological Hazards on the revision of the Geographical BSE risk assessment (GBR) methodology, November 2006.
48. Evaluation of a rapid ante mortem BSE test- Scientific Report of the Scientific Expert Working Group of the European Food Safety Authority on Transmissible spongiform Encephalopathy. Adopted on 27 November 2006.